SUBJECT INDEX

Alluauolite 317
Aluminium Orthophosphate: Cell Parameters 237
Analcime 32
Antimony Orthotantalate Monocrystals: Synthesis 293
Arsenates (Groups 4 and 14) 9
Azurite 140

Babasalite 317
β-Berlinite 216
Berlinite 199, 315, 338
  crystal growth 211
  crystal growth by slow heating method 214
  crystal growth by the composite gradient method 217
  crystal growth by the horizontal gradient method 218
  crystal growth on seeds 221
  elastic and piezoelectric properties 340
  growth defects 234
  influence of admixtures on crystallisation 226
  morphology 223
  physical properties 200
  piezoelectric properties 244
  surface morphology 229
  the reverse temperature gradient method 220
  thermal behaviour 238
  thermal expansion 241
Blue Sapphire 74
Borates 310
  1-2-3-4 valent elements 299

Calcium Aluminosilicate Compositions 35
Catapleite 322
Cerium (IV) Phosphate 7, 8
Chabazite 33
Chalcogenides 113
Chalcogenides (A_2B_3) : of As, Sb and Bi 127
Chalcohalogenides 113
Chalcohalogenides : of As, Sb and Bi 116
Clinoptilolite 32
Copper Compounds : Stability 140
Copper Molybdate 19
Copper Monobromide : Crystallisation of Monocrystals 291
Corundum 78
Crystobalite : Structure 206
Cuprite 140

Elpasoite 309
Elpidite 322
Emerald : Synthesis 75
Emerald Green 72
Emeralds : Regency, Biron, Colombium and Synthetic 84

Faujasite 29
Ferrierite 32
Ferrous Tetraphosphate 318
Fluorides 301
  1-2-3-4 valent elements 299

Gallium Phosphate 315, 341
Geidonnite 322
Gem Stones 71
  X-ray tomography 91
  allochromatic 72
  colour-associated factors 73
  colour producing factors 83
  idiochromatic 72
  inclusions 83
  laser tomography 91
Germanates : 1-2-3-4 Valent Elements 299
Germanium Dioxide 335
Germanium Phosphate 6
Growth of CdS, PbS, ZnSe, Zns, HgS Crystals 174

Hafnium Phosphate 1, 6
Hematite 316
Heteropolymolybdates 20
Hexafluorozirconate Ion 2
Hydrocancrinate 343
Hydrothermal Growth Apparatus for Visual Examination 256
Hydrothermal Growth Visual Examination 255
Hydrothermal Regime : Binary Phase (Gas-Liquid) Medium 262
Hydrothermal Regime : Natural Convection 260

Ilerite 322
Ion Exchange Capacity 8
Ion Exchangers 1
Iron Phosphates 317

Jewelry 139

Langbeinite 11
Lead Bromide : Recrystallisation 292
Lead Chloride : Recrystallisation 292
Lead Iodide : Recrystallisation 292
Lead Phosphate 6
Lipscombite 317
Luminescence ZnS 186

Magnetite 316
Malachite 139, 140
  chemical composition 155
  gemological data 158
  infrared spectra 157
  jewelry 152
  solubility 148
  synthesis 151
Manganese Molybdate 17
Mass Transfer 165
Melanoplogite 32
Molybdates 1
  transition metal 15
  transition metal (Mn, Co, Ni and Zn) 16
Molybdophosphates 20
  transition metal 15
Mordenite 32, 33
  crystallisation curves 34
  influence pf pH 38

Nasicon 10
Nasicons : Unit Cell Parameters 13
Nepheline 342
Nezoites 315
Niobyl Phosphate 14

Paratellurite : Effect of Temperature Gradient on Transport 274
Paratellurite : Effect of Velocity of Gas Bubbles on Transport 273
Paratellurite : Growth Kinetics 276
Paulingite 32
Phase Transitions : Malachite-Azurite 141
Phase Transitions : Tenorite-Azurite 141
Phase Transitions : Tenorite-Malachite 141
Phosphates 1, 315
  groups 5 and 15 14
  1-2-3-4 valent elements 299
Potassium Titanyl Phosphate 344
PVT Relationships : Apparatus 203

Quartz 97
  Q values 98
  autoclave 99
  future research 107
  growth rate 100
  minalerisers 101
  nutrient effects 103
  physical properties 200
  resonator fabrication 106
  scaling up 104
  seed effect 102
  structure 206
  sweeping 105
  use of liners 102
Quartz Irradiation 79

Rare Earth Germates 328

Sarkopside 316
Silicates : 1-2-3-4 Valent Elements 299
Silicophosphate (Groups 4 and 14) 9
Silicophosphates (Nasicons) 13
Sphalerite 337
Synthetic Amethyst : Infrared Spectra 90

Tellurium Dioxide : Growth of Monocrystals 265
Tellurium Dioxide : Mass Transfer During Crystallisation 270
Tellurium Dioxide : Stability Field 266
Telluriun Dioxide and Oxychloride : Crystallisation Fields 271
Tellurium Dioxide and Oxychloride : Growth Kinetics 286
Tellurium Dioxide and Oxychloride : Habits of Monocrystals 272
Tellurium Dioxide and Oxychloride : Simultaneous Growth 283
Tellurium Oxychloride : Growth 290
Templating Action : Zeolites 39
Tenorite 140
Ternary Fluorides 308
Thorium (IV) Phosphate 7
Tin Arsenate 6
Tin Phosphate 6
Titanium Arsenate 6
Titanium Phosphate 6
Transport Reactions : ZnO, PbO, HgO, Al_2O_3, TiO_2, PbS, ZnS, HgS 169
Triorthosphates 12
Triorthophosphates - Cell Parameters 12
Triphosphate (Groups 4 and 14) 9
Triphyline 316

Vlasovite 322

Zeolite : A, L, X and Y 33
Zeolite : ZK-5 33
Zeolite : Omega, ZSM-5, ZSM-11, ZSM-39 and KZ1 and KZ2 33
Zeolite : Rho 32, 33
Zeolite Structures 32
Zeolites 29
  Na-X crystal size distribution 64
  Raman spectra of formation phases 52, 54
  crystallisation by solid phase transformation 49

crystallisation by solution transport 51, 55
crystallisation rate of ZSM-5 45
kinetics of crystallisation 59, 65
kinetics of non-spontaneous crystallisation 60
kinetics of spontaneous crystallisation 61
mechanism of crystallisation 48
synthesis of type A and B ZSM-5 57, 58
variable composition 38
Zincite 333
Zircinalite 322
Zircon 322
α-Zirconium Phosphate 1
α-Zirconium Phosphate-Structure 5
Zirconium Arsenate 6
Zirconium Germanates 323
Zirconium Molybdate 15
Zirconium Phosphate-Hydrated 7
Zirconium Silicates 319
Zweieselite 316

COMPOUND INDEX

AsSeI : Strcuture Type 123
A_2B_3 Chalcogenides of As, Sb and Bi 127
A_2B_6 Crystals 163
$ALnF_4$ (A=Li, Na, K, Rb, Cs) : Hydrothermal Synthesis 301
A_2LnF_5 (A=Li, Na, K, Rb, Cs) : Hydrothermal Synthesis 301
A_3LnF_6 (A=Li, Na, K, Rb, Cs) : Hydrothermal Synthesis 301
Al_2O_3 : Transport Reaction 169
$AlPO_4$ 199
  Li^+ : complex admittance plot 248
  comparative solubility data 212
  crystal chemical significance 204
  crystal growth 211
  DTA curves 239
  phase equilibria 202
  Li^+ : ionic conductivity 246
  morphology 223
  Na^+ : ionic conductivity 246
  polymorphic modifications 205
  properties compared with quartz 200
  solubility study 207
  temperature coefficient of solubility 213
A_m (V) B_n (VI) C_p (VII) and A_2B_3 : A=As, Sb, Bi ; B=S, Se, Te ; C=Cl, Br, I 113
As_2S_3 : Crystal Data 128
As_2S_3 : Structured Types 127
AsSI 115
As_2Se_3 : Crystal Data 128
As_2Se_3 : Unit Cell 128
AsSeI 115
As_2Te_3 : Crystal Data 128
As_2Te_3 : Monoclinic Structure Type 130
$As_4Te_4I_2$ 115
As_5Te_7I 115
As_5Te_7I : Structure Type 123
As_5Te_7I : Unit Cell 124
$ATiOPO_4$ (A=Rb, Cs, Tl, Ag, NH^{4+}) : KTP structure 344
$ATOPO_4$ (T=Ge, Sn, Zr) : KTP Structure 344
A_3ZrF_7 (A=Na, R, Rb, Cs, NH^{4+}) 308

$Ba(NO_3)_2$: Growth Rate Coefficient 171
$Be_3Al_2(SiO_3)_6$ 72
Bi_2S_3 : Crystal Data 128
BiSBr 115
$Bi_4S_5Cl_2$ 115
BiSCl 114, 115
$Bi_4S_5Cl_2$: Structure Type 127
BiSI 114, 115
Bi_3Se_3 134
Bi_2Se_3 : Crystal Data 128
BiSeBr 115
BiSeCl 115
BiSeI 115
α-$Bi_2(Se, S)_3$: Crystal Data 128
β-$Bi_2(Se, S)_3$: Crystal Data 128
Bi_2Te_3 134
  crystal data 128
  rhombohedral type 134
BiTeBr 115
BiTeI 115, 121
  unit cell 122
Bi_2Te_2Se 134
  crystal data 128
Bi_2TeSe_2 134
  crystal data 128

$Ca(NO_3)_2$: Growth Rate Coefficient 171
$CaMgB_2O_5$ 311
$CaMnB_2O_5$ 311
$Cd_2B_2O_5$ 311
$Cd_4(BO_3)_2(OH)_2$ 311
CdB_2O_4 311
CdS : Growth of Crystals 174
$Ce(HPO_4)_2$ 9
$Cu_2(OH)_2CO_3$: Malachite 140
$Cu_3(MoO_4)(OH)_2$ 19
$Cu_3(OH)_2(CO_3)_2$: Azurite 140
$Cu_4Mo_6O_{20}$ 20
  structure 20
$Cu_6Mo_5O_{18}$: Unit Cell 19
CuBr : Hydrothermal Growth Under Visual Examination 255

$Dy_3GeO_5(OH)_3$ 330

$Er_{13}Ge_6O_{31}(OH, F)$ 330
$(Et_4N)_6[Na_{14}Mo_{24}P_{17}O_{97}(OH)_{31}]$: Unit Cell 22
$(Et_4N)_6[Na_{14}Mo_{24}P_{17}O_{97}(OH)_{31}] \cdot xH_2O$ 21

$Fe^{2+}{}_3Fe^{3+}{}_4[PO_4]_6$ 317
$Fe^{3+}{}_7[Fe^{3+}{}_{0.5}Fe^{2+}{}_{0.5}]_{18}[PO_4]_{14}(OH)_{24}$ 317
FeMoO4 16
$Fe^{2+}{}_2PO_4F$ 317
$Fe_2P_4O_{12}$ 318
$Fe^{2+}{}_2P_4O_{12}$ 317
$[Fe^{2+}{}_{0.76}Zn_{0.24}]_3[PO_4]_2$ 317

$Gd_3GeO_5(OH)_3$ 330
$Gd_4Ge_3O_{11}(OH)_2$ 330
$Ge(HPO_4)_2.H_2O$ 6
α-GeO_2 336

$HAs(PO_4)_2.H_2O$ 14
$Hf(HPO_4)_2.H_2O$ 6
HfP_2O_7 - Solubility 4
HgO : Transport Reaction 169
α-HgS : Growth Rates of Different Faces 185
α-HgS : Piezoelectric and Elastic Properties 188
HgS : Growth of Crystals 174
HgS : Solubility in NaHs 173
HgS : Transport Reaction 169
$HSb(PO_4)_2.H_2O$ 14

$KA1PO_4F$ 345
$K_2CaB_4O_5(OH)_2.8H_2O$ 312
$K_2Fe_2O_7F_2$ 318
$KFePO_4F$ 345
$K_2Fe^{2+}{}_2P_2O_7F_2$ 317
$KFe^{2+}{}_4[PO_4]_3$ 317
$KFe^{3+}PO_4F$ 317
$KGa_{0.5}Nb_{0.5}OPO_4$ 345
K_2GdF_5 ; Nd^{3+} : Luminescence Spectra and Crystal Field Splitting 307
KH_2MoPO_7 20
K_2LnF_5 : Nd^{3+} : Spectroscopic Characteristics 305
K $(MoO_2OH)(HPO_4)$ 20
structure 21
K_2NaAlF_6 309
$K_2Na_5Fe^{3+}{}_{14}(PO_4)_{12}(OH)_2$ 318
$K_2Na_5Fe^{2+}{}_{14}Fe^{3+}[PO_4]_{12}(OH)_2$ 317
$K_2NaH_{1.5}Fe_{0.6}F_6$ 309
KNO_3 : Growth Rate Coefficient 171
$KTiOMO_4$ (M=As) : KTP Structure 344
$KTiOPO_4$: Potassium Titanyl Phosphate 344
K_3ZrF_7 : Temperature Dependence of Conductivity 309

$Li_2B_4O_7$ 311
$LiBO_2$ 311
$Li_3B_5O_8(OH)_2$ 309
$LiCdBO_3$ 312
$LiFe^{2+}P_3O_9$ 317
$LiFeP_3O_9$ 318
$LiFe^{2+}PO_4$ 317
$LiMnBO_3$ 312
$Li_2Nd_2(BO_3)_3$ 312
$LiNd[BO_3(OH)]$ 312
$LiNo_3.3H_2O$: Growth Rate Coefficient 171
$2Li_20.3Zn0.2B_2O_3$ 312
$4Li_20.4Zn0.3B_2O_3$ 312
$LiZnBO_3$ 312
$Li_4Zn[PO_4]_2$ 316
$LiZnPO_4$ 316
$Li_6Zn_4[PO_4]_4O$ 316
$Ln_{13}Ge_6O_{31}F$ 331
$Ln_{13}[GeO_4]_6[O,(OH,F)_2]_6$ 329

$Ln_2Ge_2O_7$ 331
Ln_2GeO_5 329
$Ln_{4.67}[GeO_4]_3O$ 329
$Ln_4Ge_3O_9(OH)_6$ 331
$Ln_4GeO_6(OH,F)_4$ 331
Ln_4GeO_8 331
$Ln_4[Ge_2O_7][GeO_4](OH)_2$ 331
$Ln_4[GeO_4]O_4$ 329
$LnGe_2O_{12}(F,OH)_2$ 331
$LnGe_2O_7$ 329
$LnGeO_5(OH)_3$ 331

α-$MnMoO_4$ 16
$Mn_3(BO_3)_2$ 311
$MnMoO_4.H_2O$ 17
$Mo_6P_4O_{24}(OH)_7$*5- : Structure Anion 22

$Na_8Al_6Si_6O_{24}(OH)_2.nH_2O$: Hydrocancrinate 343
$Na_2(Ce,Co)Zr(PO_4)_3$ 12
$NaCu(OH)MoO_4$ 19
$NaCu_2Zr(PO_4)_3$ 12
$Na_2[Fe^{3+}{}_{0.5}Fe^{2+}{}_3[PO_4]_2(OH)_{1.9}(O)_{0.1}$ 317
$Na_2Fe^{2+}PO_4OH$ 317
$NaFe^{2+}{}_{0.5}Zn_{0.5}PO_4$ 317
$NaH_2(MoO)_2(PO_4)_3.0.5H_2O$ 20
$Na_3HZrGe_2O_8$ 320, 323
$Na_3HZrSi_2O_8$ 320
(Na, K) $A1SiO_4$: Nepheline 342
$Na_2(La,A1)Co(PO_4)_3$ 12
$Na_2(La,A1)Ti(PO_4)_3$ 12
$Na_2(La,A1)Zr(PO_4)_3$ 12
$Na_2(La,Co)Ti(PO_4)_3$ 12
$Na_2(La,Cr)Zr(PO_4)_3$ 12
$Na_2(La,Fe)Zr(PO_4)_3$ 12
$Na_2LaZr(PO_4)_3$ 12
$NaMn_2(OH)(MoO_4)_2.H_2O$ 19
$NaMn_2Zr(PO_4)_3$ 12
$Na_2(Nd,Co)Zr(PO_4)_3$ 12
$NaNi_2Zr(PO_4)_3$ 12
$NaNO_3$: Growth Rate Coefficient 171
$Na_{0.3}H_{0.7}Zr_2(PO_4)_3$ 11
$Na_8SnSi_6O_{18}$ 320
$Na_2Zn_2MnB_{4.67}O_{11}$ 312
NaZn (OH) MoO_4 17
unit cell 18
$NaZn[PO_4]$ 316
$Na_2Zn[PO_4](OH)$ 316
$NaZn_2[PO_3(OH)][PO_4]$ 316
$Na_{1+x}Zr_2Si_xP_{3-x}O_{12}$ 10
Na_2ZrGeO_5 323
$Na_2ZrGe_2O_7$ 323
$Na_4Zr_2Ge_3O_{12}$ 323
$Na_4Zr_2Ge_5O_{16}.nH_2O$ 323
$NaZr_2(PO_4)_3$: Structure 10
$Na_{14}Zr_2Si_{10}O_{31}$ 320
Na_2ZrSiO_{15} 322
$Na_4Zr_2Si_3O_{12}$ 322
$Na_4Zr_2Si_{2.2}P_{1.8}O_{15}.H_2O$ 13
$Na_6Zr_2Si_3O_{15}$ 320
$Na_8ZrSi_6O_{18}$ 320

$Na_4Zr_2Si_5O_{16}.H_2O$ 322
$NaZr_2(SiO_4)_3$: Structure 10
$NbOPO_4$ 14
structure 15
Nd_4GeO_8 330
NH_4NO_3 : Growth Rate Coefficient 171
$N_2Z_2C_2H_4$: N=Na_2O ; Z=ZrO_2 ; S=SiO_2 ; H=H_2O 322
$N_2Z_2C_5H$: N=Na_2O ; Z=ZrO_2 ; S=SiO_2 ; H=H_2O 322
N_4ZS_6 : N=Na_2O ; Z=ZrO_2 ; S=SiO_2 ; H=H_2O 322
NZS : N=Na_2O ; Z=ZrO_2 ; S=SiO_2 ; H=H_2O 322
$N_2Z_2S_3$: N=Na_2O ; Z=ZrO_2 ; S=SiO_2 ; H=H_2O 322
NZS_2 : N=Na_2O ; Z=ZrO_2 ; S=SiO_2 ; H=H_2O 322
$NZS_{3.2}H$: N=Na_2O ; Z=ZrO_2 ; S=SiO_2 ; H=H_2O 322
NZS_4 : N=Na_2O ; Z=ZrO_2 ; S=SiO_2 ; H=H_2O 322
$N_2Z_2S_{6.6}H$: N=Na_2O ; Z=ZrO_2 ; S=SiO_2 ; H=H_2O 322
$NZS_{6.3}H$: N=Na_2O ; Z=ZrO_2 ; S=SiO_2 ; H=H_2O 322

$PbBr_2$: Hydrothermal Growth Under Visual Examination 255
$PbCl_2$: Hydrothermal Growth Under Visual Examination 255
$Pb(HPO_4)_2.H_2O$ 6
PbI_2 : Hydrothermal Growth Under Visual Examination
PbO : Transport Reaction 169
PbS : Growth of Crystals 174
PbS : Transport Reaction 169
$(PPh_4)_2[H_3O)_2NaMo_6P_4O_{24}(OH)_7].5H_2O$ 20

$SbNbO_4$: Hydrothermal Growth Under Visual Examination 255
SiO_2 : Polymorphic Modifications 205
Sb_2S_3 : Crystal Data 128
Sb_2S_3 : Orthorhombic Structure Type 132
SbSBr 114, 115
$Sb_4S_5Cl_2$ 115
structure type 125
SbSCl 115
Sb_2Se_3 : Crystal Data 128
Sb_2Se_3 : Unit Cell 133
SbSeBr 115
SbSeI 115
unit cell 118
$Sb[Se_{0.75}S_{0.25}]I$ 115
SbSI 114, 115
structure types 117
Sb_2Te_3 : Crystal Data 128
SbTeI 115
structure type 120
unit cell 120
$Sm_4Ge_3O_9(OH)_6$ 330
$Sn(HAsO_4)_2.H_2O$ 6
$Sn(HPO_4)_2.H_2O$ 6
$Sr(NO_3)_2.4H_2O$: Growth Rate Coefficient 171

$Te_6O_{11}Cl_2$: Hydrothermal Growth Under Visual Examination 255
$Te_6O_{11}Cl_2$: Growth Rate on the (010) Face 285
α-TeO_2 : Hydrothermal Growth Under Visual Examination 255
α-TeO_2 : Growth Rate on the (102) Face 285
$Th(AsO_4)_2.H_2O$ 9
$Ti(HAsO_4)_2.H_2O$ 6
$Ti(HPO_4)_2.H_2O$ 6
TiO_2 : Transport Reaction 169

$Y_4GeO_6(OH, F)_4$ 330
$Y_7Ge_2O_{12}(F, OH)_5$ 330
Y_2O_3-ZrO_2 : Hydrothermal Precipitation 195
$Yb_2Ge_2O_7$ 330

$Zn_4B_6O_{12}$ 311
$Zn_2P_2O_7$ 316
$Zn_2[PO_4](OH)$ 316
ZnO : Elastic Dielectric and Piezoelectric Constants 334
ZnO : Transport Reaction 169
$ZnPO_4.2.4H_2O$ 316
ZS : N=Na_2O ; Z=ZrO_2 ; S=SiO_2 ; H=H_2O 322
ZnS : Growth of Crystals 174
ZnS : Transport Reaction 169
ZnSe : Growth of Crystals 174
ZnSe : Solubility in KOH 173
β-$Zr_2(PO_4)_2SO_4$ 12
$ZrGeO_4$ 323
$Zr(HAsO_4)_2.H_2O$ 6
$Zr(HPO_4)_2.H_2O$ 6
$ZrMo_2O_7(OH)_2.2H_2O$ 15
ZrO_2 : Hydrothermal Precipitation 195
ZrP_2O_7 1
ZrP_2O_7-Solubility 4

SYSTEM AND PHASE INDEX

Phase Diagram
- AsSI 116
- SbSBr 116
- SbSI 116
- SbSeI 116

System
- A_2O (AC1) ; Fe_2O_3 (FeO) ; P_2O_5 ; H_2O 316
- AC1 ; Fe_2O_3 ; $(NH_4)_2HPO_4$; H_2O 318
- AX ; ZnO ; P_2O_5 ; H_2O (A=Li, Na, K ; X=F, C1) 315
- Be $(OH)_2$; A1 $(OH)_3$; SiO_2 : growth of emerald 75
- Cd ; S ; H_2O : stability of CdS 177
- CuO ; CO_2 ; H_2O : malachite : azurite : tenorite 143
- CuO ; CO_2 ; H_2O ; NH3 : solubility 144
- Er_2O_3 ; GeO_2 ; CsOH ; H_2O ; phase diagram 329
- FeO ; KHF_2 ; $(NH_4)_2HPO_4$; H_2O 318
- Hg ; S ; H_2O ; stability of HgS 181
- Li_2O ; CdO ; B_2O_3 ; H_2O : crystallisation in 313
- Li_2O ; FeO ; P_2O_5 ; H_2O 318
- Li_2O ; ZnO ; B_2O_3 ; H_2O : crystallisation in 314
- LiF ; FeO ; P_2O_5 ; H_2O 318
- Ln_2O_3 ; GeO_2 ; R ; H_2O 329
- Ln_2O_3 ; GeO_2 ; R ; H_2O : (Ln=Ce -> Lu, La, Y) (R=NaOH, KOH) 328
- Ln_2O_3 ; GeO_2 ; R ; H_2O : (R=RbOH, CsOH, NaF, HF, CsF) 328
- Ln_2O_3 ; KF ; H_2O : formation of mixed fluorides 303
- Na_2 ; $A1_2O_3$; SiO_2 ; H_2O : crystallisation in 37
- Na_2O ; CdO ; B_2O_3 ; H_2O : crystallisation in 313
- Na_2O ; K_2O ; $A1_2O_3$; SiO_2 ; H_2O 343
- Na_2O ; MO_2 ; GeO_2 ; H_2O : (M=Ti, Zr, Hf) 327
- Na_2O ; ZrO_2 ; GeO_2 ; H_2O 323
- Na_2O ; ZrO_2 ; GeO_2 ; H_2O : crystallisation in 324
- Na_2O ; ZrO_2 ; SiO_2 ; H_2O 320
- Na_2O ; ZrO_2 ; SiO_2 ; H_2O : phase diagram 321
- Pb ; S ; H_2O : stability of PbS 180
- Pr_2O_3 ; GeO_2 ; CsOH ; H_2O : phase diagram 329
- Zn ; S ; H_2O : reactions in 176
- Zn ; S ; H_2O : stability of ZnS 179
- Zn ; Se ; H_2O : stability of ZnSe 178
- ZnO ; B_2O_3 ; H_2O : crystallisation in 313